

7070
7071



FROM
THE LIBRARY
OF
SIR WILLIAM OSLER, BART.
OXFORD

7666 k

January 13th

P. M. on a case of Phthisis (Sir W. Jenner)
Much emaciated. Attention drawn
to the shape of the thorax, which was un-
usually long, flattened, the lower ribs
extending to within a short distance
of the crura diaphragm. Sir W. remarked
that this was a form of thorax often
seen in the congenitally small lung,
and nature took this method of
adapting the parietes to them.
The upper ribs were oblique & the
intercostal spaces wide but from
the middle they began to slope & ter-
minally, till about the 8th & 9th they
became almost vertical: the costal
cartilages as they ascended to their
insertion forming almost an acute
angle with the ribs. On opening the abdomen
a situation of the viscera was rem-
arked upon: the liver being ~~large~~ ph-
sed almost vertically and extending
below the margin of the ribs On exam-

side, when it came in contact with the costal cartilages, well marked patches of fat were seen. The Diaphragm was much arched the anterior portion being almost vertical & lying in close contact with the cartilages of the sternum. Attention was then drawn to the post mortem staining of the various parts and to the transudation of serum from the heart into the pericardium & to a slight degree into the pleura from the lungs. Open the heart always in the course of the circulation.

The discoloured portions of the blood clot in the heart often afford important evidence in medico-legal inquiries with reference to either the original position of a body or as to whether it had been turned; as the colourless portions are always uppermost. Heart was flabby but otherwise healthy. Extensive pleural adhesions

all over both lungs. Right one pre-
sented at the apex right of old standing
pneumonic affection(?), being indurated
in spots, channelled, small cavities
shedded here & there with caseous
masses. Throughout the rest of the
lung milky tubercle was scattered
densely and Dr. W. remarked that
this was one of a very few cases he had
observed in which there was an
extensive deposit of tubercle, without
any great elevation of temperature
being, never above 100°. Some oedema
& emphysema were also observed.
The left lung was small, shrivelled
firm to the touch, though not curless,
looking very much like a lung comp-
ressed by fluid. The posterior portion
was channelled by an irregular cavity
of recent formation covered by a thin
membrane strewed with numerous
small tubercula.

January 14 th

P. M. on case of ^{(male) at 40} supposed lymph-
atic leucemia. (Wilson Fox)

Much emaciated & externally large
glandular swelling - could be seen
in the right cervical and axillary
regions. The condition of the lymphatic
glands throughout the body was as
follows: Axillary & cervical of right side
formed a continuous chain, the
former being much matted together
making a lump about the size of a
hen's egg; the latter more isolated
None of any size in the corresponding
situations on the opposite side, nor
were there any in either groin
The sub-bronchial glands were
much enlarged especially those
over the left bifurcation of the trachea
which though completely pervious
yet had its caliber diminished
The lumen of the aorta was con-
siderably narrowed. Hardly admittably

the little finger. The whole chain
of retroperitoneal glands were enlarged
indurated & matted together
and also formed adhesions with
the caecum & pancreas

In section all these glands presented
with slight modifications, the same
appearance, they were firm to the
touch, yet broke under the nail, in
colour varying from a dirty white
to a distinct yellow, traces of gland-
ular structure sometimes visible
capsule generally well marked &
adherent. The variations were as
a few of the smaller glands had a peculiarly ^{typical} yellow
colour: One or two of the smaller
glands ^{except} looked like a wax, yellow or a ^{yellowish} red kidney
and in the axilla had suppurated
others could be easily nucleated.
In the bronchial gland much pigment
was present & in some a soft
nucleus was observed. The retro-per-
itoneal glands differed only in one
particular viz. that in one or two
a peripheral nec suppuration had

taken place between the pancreas
gland & the capsule
Lungs & diaphragm collapsed in part.
Apices of both the seat of tubercular de-
posit (7x) and tubercles masses
are called through out the organ.
Pigmentary connective tissue & inter-
venous the nodules at the apices, in
which some central softening was
observed. Heart normal.

Spleen 3 (not very large) firm, albumi-
noid; sugar grains well marked
a patch triangular in form, white-
colour, and probably an infarct & inter-
at one extremity. Liver not enlarged
& apparently healthy.

Intestines, one typical tubercular
ulcer & ulcer about one foot above the
ileo-caecal valve extending completely
round the gut ~~and~~ constricting its
diameter considerably. On the same
surface of it some grey granulation
(tubercles) were found. Ulceration

not however for tubercular character
was also found in the caecum, & much
granulations on the serous coat ex-
ternally. Kidneys enlarged &
slightly albuminous

Dr Fox in remarking on this case
said that enlarged lymphatic
glands might arise from many
causes among which the chief
were; irritation, simple & specific
scrophulous, tubercle carcinoma
& the disease known as Lymph-
adenoma. This case was believed
to be one of the last named. There had
been no increase of white or corpus-
cles but numerous small red ones
in great & cers. He had had albumi-
nuria and diarrhoea but the chest
disease, though diagnosed was not
thought to be so extensive as it turned
out. Altogether Dr Fox inclined to the
belief that this was not a true case
of " Hodgkin disease " but a case of

general tubercular affection of the
lymphatics & to his mind the
similarity of the ^{appearance} affection in the
lungs, especially at the apices
favoured this view. The non-ex-
istence of adenoid growths in
other organs was also a strong ar-
gument. The Brain was healthy
and unaffected.

January 16

Out pat. B. Hill

Syphilitic orchitis
Testis uniformly swollen, epididym
not distinguishable. devoid of any
special characteristics, differing in
this from the tuberculous and aden-
oid forms. May subside & then come
on again. It may terminate unde-
cided ^{result in} shrinking of the testis & im-
mobility. Beland P. N. Lods

Case of acute Eczema following a
rage on the skin. In H. referred to
the constitutional condition and.

under which Eczema most frequently
arise among them the chief is the filthy
instates of the system, dirt, also poor
food and the working in irritating
material is an active cause,

As regards the treatment. Wash well
first with soft water or water rendered
soft by boiling, then apply a powder of
3 parts Starch to one of Zinc. wrap the
limb in cotton wool and lay on
absolute rest.

January 17

Dr. W. Jenner

In applying any hot foment-
ation, draw the patient's clothes well up
about his armpits, place a thick fold
of blanket under the nates, then apply
your fomentation & cover with a piece
of flannel with layers than the flannel
beneath, over this place another fold
of blanket & over all fold the ends
of the blanket beneath his nates
this will keep warm for some hours

In taking observation, with the
Astherometer, in order that they
may be reliable you must repeat
them several times at the same
places with an interval of some
days between

In some women & in nearly all
children the voice does not
produce vibration enough to enable
you to feel the vocal primitives. As
this is a very important aid in
the diagnosis of pneumonia pro-
pensity with effusion, what exami-
ner can we to look for in these cases
of patients? Dr. W. says we find it
in the displacement of organs, but
pneumonia the lung retains its nor-
mal bulk, but in a chest the adhesions
give a uniformly dull note behind &
the same to the ripple in front. This
to a certain will produce some displa-
cement - should always be looked for

Dr Richter

Care of Syphilitic eruption
about the face & neck in a child 12
months old, suffering also from Thrush
and Diarrhea. He ordered $\text{gr} \frac{ss}{ii}$ of
Hydrog & creta, three times a day
and said that "children diarrhea
was often stopped readily in this way
though at first it might aggravate
it a little. If the medicine was given
at night it would cause much
sleeping & diarrhea but - she could not
explain it if it were given three in the
day no ill effects followed
Trich Copra tried in Dropsy
Glycerine of Tar in Eczema behind
the ears in children

Dr Lencer

in referring to intestinal
obstructions said, "it was as culpable
to give cathartics on them as in strangulated
hernia I use opium which relieves
the cramp-like spasm of the gut"

varicose varicose

January 18th

varicose for Women. Colotomy. Mr Heath
This was a case of cancer in the rectum
not however producing complete obstruc-
tion, but as it was progressive and
the woman at present in good health
it was deemed advisable to operate
now, as by this means her chances
would be greater. Mr Heath made
a horizontal incision about 7 inches
in length the center of which cut a
vertical line. Brown was to pass
through the posterior third of the circle
dia. The various fasciae having been
cut on a director, the bowel was exposed.
As no feces were contained in it and
as they had been unable to pass up it
up & behind the bowel, some difficulty
was experienced in drawing it forward
several folds of fat also impeded its
progress to the gut. Finally it was ob-
tained & before incising it two returns

were pared through

January 20th

"Dr. Barton" Case of rapid wasting
and loss of power in the deltoid
and arm muscles. The man had
been under treatment for a slight
cold which had improved, when
this affection of the muscles came on.
It was seen first three weeks after
the attack and the arm was then
diminished much in size & power
over it almost lost. He was neither
able to abduct the arm or flex the
forearm. Ordered R. A. 2 cods grs viii
codie & Faradization three weekly
baths. In a month he had regained
sufficient power over the muscles
to raise the arm to a level with the
shoulder and also could flex the fore
arm completely. Dr. B. supposed it to
be due to some disorder of the ^{"nerve roots"} roots of
one or two of the branches of the Br. plexus

P. M. Scarlatinal droopy. Death from
dysnoea. Boy at 10

Anasarca general. 3 x x of milky
fluid in right pleural cavity. 3 iv
of mucus in the pericardium. Exam-
ination of this showed numerous
lymph corpuscles with 2 or 3 nuclei
all nucleated some multilobed.
A few larger more granular cells
were also found.

Right lung somewhat adenomatous,
pale, rough to the feel. Bronchi (in ltr
seemed thickened. Left lung.
On the surface of this was situated
- anteriorly & laterally - a large flattened
mass of fibrinous effusion, from $\frac{1}{4}$ to
 $\frac{1}{2}$ an inch in thickness, the exterior
being very firm, the interior more gel-
atinous & apparently of more recent
origin. Evidences of slight compression

were visible beneath this, but otherwise the lungs did not present any marked features.

Heart normal. Large de-coloured clot in right auricle; fluid blood in right ventricle.

Liver healthy. Spleen soft & pale. Kidneys large. On section cortex sub-
capular & fawn yellow colour. Medullary
portion congested. Capsule easily
detached. Surface of cortex pallid with
numerous stellate veins scattered
over it. A few pili & depressions were
seen, perhaps the beginnings of pro-
fund changes. The kidneys even
in specimens far stage not often
(P.M.) seen after acute nephritis; the
organ of the attack was past & the
organ apparently in such a condition
that further detrimental changes
or complete recovery would depend
on the state of bodily health.

Prognosis. Pale, anemic. Surfaces
of organs "wet". Dura mater adherent.

January 21st

R. L. Ophthalmic in the morning
"Lawson" case of Indolent for the
pupil "Scurvy of eye". Injury 7
years previously, by the explosion of
gunpowder, subsequent iritis, tran-
sient cataract, ~~incurable~~ - Pain
& danger of sympathetic Ophthalmia
in the other eye, which had just re-
ceived an abrasion. Lodging in
the sclera beneath the tendon
of the internal Rectus a piece of
glass [?] about that eye was found
"Couper"

Congenital Cataract ^{.3 inch} ~~was~~
attempted solution, but found the
lens so hard & firm that extraction
was performed. Present operation to
tear with needles some remnants of
capsule left in the right eye

Case of Strabismus, internal,
Old man. Gamekeeper, & troubled with
double vision;

M. C. H. "Piper"

January 30th

(Album Fox)

Case of Apoplexy

man at 75. well made, well nourished

History

Post mortem

Dura mater adherent
to the calvarium. which was unusually
dense and heavy. Sinuses normal
Surface of brain intensely hyperaemic
and five spots of sub-arachnoid haem-
orrhage were found; one over the left
^{anterior lobe} temple, which corresponded to a
bruise, received by the fall in the seizure
the second on the surface of the right
middle lobe, the third on the inner

surface of the left posterior lobe: the
remaining two occupied a position at
the under side of the cerebellar lobes.
The amount effused was not very
large, but in each case it extended
over a considerable area - in section
it was found deep in the sulci.
On slicing the hemispheres, the con-
gestion is marked externally, was
not here evident, though the vas-
cular prints were well defined.
On opening the right lateral ventricle
an extensive haemorrhage presented
itself, which on washing away the
clots was seen to have proceeded
from the body & hinder part of the
corpus striatum and the anterior
segment of the Thalamus opticus, both
of which organs together with the ad-
jacent structures, were much lacerated
and disorganized. The septum was
also ruptured and clots with fluid
blood were found in the left ventricle.

le, the walls & floor of which were however intact. The haemorrhage had also penetrated into the third ventricle

The Arteries were irregularly atheromatous, firm & fibrous rather than calcareous

Nothing noticeable in other portions of the organ

Heart: large with a good deal of pericardial fat lying upon it. Right chambers, normal, with the exception of slight opacity of the lining membrane of the auricle

Left Auricle healthy. Ventricle much hypertrophied, but the muscular fibres apparently perfect, no traces of "pale leaf patches", indicated fatty changes. Mitral valves, somewhat thickened and the orifice slightly narrowed. One or two nodular masses of gelatinous atheroma were attached near the margin of one segment. Aortic

valves thickened slightly, & in one
commencing calcification
Lungs extensively collapsed and
adematous and at the base mac-
tants of Pneumonia could be seen
distinct from the collapsed and
adematous lung by its want of trans-
lucency & slightly granular aspect.
Liver & spleen firm but otherwise
normal.

Kidneys, small, markedly atrophic.
Capsule detached with great difficulty,
leaving surface granular & pale.
It seems as if in these cases, the puc-
turing of the cortex takes place at the
entrance of a blood vessel only, the
remnant "smooth granules" being
devoid of vessels. On section, cortex
reduced in up. pyramids within 1/8
of an inch of the surface. Malpighi-
an bodies indistinct. No pyramidal
congestion. Cortical degeneration in
spots.

avoided the fact in no other part than in the country
was supposed to have been a very early place. I
also saw some other things - the same as the
the general impression of the city as a whole,
and certainly a very good impression.

NO 1 (continued)

especially in left lung the surfaces were
of uniform colour and without these
cancerous masses. Portion of right lung is sent
in lower lobe, and there is a good deal of
thickened and some in dependent parts.
The bronchial system is exceedingly diseased, and
some of the smaller bronchi have the mucous wall
thickened. Epiglottis looks natural, perhaps not in
excellent condition. That crop is somewhat
dilated, but a little opaque, otherwise normal.
Trachea is normal. Stomach contains a small
quantity of food. The duodenum and intestine
are dilated, the ileum being of uniform colour
and soft. Throat and the small intestine
are normal. A patchy redness due to irritation
is visible after removal, but many places are
normal. The large intestine, however, is somewhat
inflamed, the mucous membrane is somewhat
thickened, and the colour is somewhat
red. The rectum is a little enlarged
and somewhat inflamed.

No 1

Male pig 5-7 months old. Numerous black
redymous upon skin of back flanks and ears.
No scaly, granular tubercles or pustules except
the opening abdominal muscles of a pale colour, no point
of infection. Intestines look tolerably normal
for peritoneal surface. In chest, left lung is white
opaque, ^{as little} fluid not by inspection about 3-4 flasks
fluid in pericardial and there are a few flasks
of lymph in it. The surface of the heart is
a little elevated. Heart right chamber and left
with blood valves intact. Left a small stroke left
ventricle walls & valves normal.

Field being almost the whole of the upper lobe and
the ant. end of the lower is in a condition of granular
lung firm, rounded & solid. The pleura over it is
irregular & rough. There are some coagulated. On section
it appears as if small round masses were scattered
through the tissue. They have rounded outlines - some very
small, some about 1/2 inch, of greyish white colour, and
on fracture may give as much as a cornucopia with blood
and fat. They can be separated as easily. The tissue
between is dark red; separating it in some cases.

No 2.

No 3.

Female pig 6 months
Large Intestine The head of the
caecum looks dark from
outside & is covered
with E.C.C. the glands
in its neighbourhood are of a
dark purp. colour some-
what swollen & on section
the cool part is the seat
of ulcers - the mucous
membrane is entirely
congested somewhat
thickened & at one part
covered with a uniform
dirty membrane the
rest of the caecum presents
a large number of
swollen glands those
near the head are close
together, may have merged
together & present a dark
discoloration on the

surface higher up -
the gut they are more
isolated & present brownish
yellow tops immediately
above the valve there are
two or 3 flat ulcers size
5 cent but for 18" from
this part the wall is
thickened & presents
numberless confluent ^{at} ~~the~~ ^{the}
sloughs which are still
closely adherent to the
tissue beneath some
have separated leaving
flat ulcers, for the
next ft the intestine is
much congested covered
here & there with a
dirty grey membrane
the solitary glands are
swollen & bare & there
is a distinct ulcer the
rest of the large intestine

is somewhat congested
but is not ulcerated
Lungs with except of
some collapse & one
small patch of inflammation
appear healthy. Beneath
the peric over the right-
oricle is a uniform
layer of blood & portion
of the wall of this
cavity appear infiltrated
with blood the same
condition though not
so marked in the left
liver an intense
dark slate color which
is uniform throughout
Spleen not enlarged
consistence good
pulp moderate
seen in the sub
mucous tissue of the
rectum in a large ..

portions of its extent are
numerous hemorrhages
the intestine looking
quite black

Biological interpretation

In one case


have seen the ~~basophilic~~ column. Tissue present
show the cells stuffed with small fine granules some
of which look black, the general appearance is that of cells
in condition of cloudy swelling. The vacuoles are distinct
and observed. There is the field are seen, somewhat
granular and also cells resembling a cell perhaps
middle of hepatocytes. In certain of the tissue the
the liver cells instead of being distinct and forming coherent
columns appear as if every cell together into a loose-
granular granular mass - which the nuclei are
scattered and scattered.

~~granular~~
specimen from the 1st. Portion of the one, which appears as if a
uniformly, dark granular mass, showing evidence of the
of the right side of the tissue. The right side
has a more of looking. The granular cells are seen above
of the one the other a collection of granular cells, some
the one very granular with the right side of the one
of the granular tissue.

very. The peculiar characteristic which follows the boundary
like cells enlarged, some of the large cells, chief of
small round translucent granules, which look like the
nuclei and others 40-50 the size of a nucleus that

test to
infrapores. They adhere in clumps without preparation.
occasionally 1-2 may be seen appressed in a slightly gran-
ular matrix, a few were noticed to have a very calcareous
about them. These elements comprise the bulk of the material
in the tubes, scattered here and there are larger components.
The elements and cells appear epithelial. 1

In the majority of the cases the ^{inner} surface of the
are swollen enlarged, hence of a
deep purple colour depending upon the colour
are affected at the center.



Leprosomus

1st Sept

Scholarship, 730 PM

I a more mounted skin, for some

incubated with lymph and blood obtained by
squeezing 100 portions of the skin - what it was red
- of Part 1 and collecting the blood on every part

The incubation was performed in a place - something
the skin - in abd. and near groin - with the same
2d. after. all night T1042. 3d. in change into red skin
body 6th and 7th days skin was red - the skin was red
with deeply stained of the back together 7th day T1054. 8th
with skin, no more red. Skin of more the 10th day. A different kind of
incubation was used - was that of skin which was red - the
skin of a new skin - lymph and blood - the skin was red
skin 10th day - the skin was red - the skin was red - the skin
- the skin was red - the skin was red - the skin was red

8th day 7:30 PM - Skin on abdomen so marked but the skin was
not - the skin was red - the skin was red - the skin was red

11th day - very well - in a - the skin was red - the skin was red
concentrated - papules - the skin was red - the skin was red
T107.

14th T1062 - in change to into - the skin was red - the skin was red

17th T1054. Aerial back all back covered
down in skin looks much like. Skin of abdomen of
dusky red color, and covered with small slightly
thickened papules. Skin of back of ears also very dark
+ in part red + white

18th T102. Skin of whole body for deep dusky
red color, somewhat impure in abdomen. It is a
pale in most places on the back, returning to red

Examined the blood, as in
red crop both normal again in character not in def. volume. The sediment off
some sediment and very milky in color. Schultze granules
none. As to eggs & nematodes, there were several of these seen distinct
a few free particles. No Bacteria. February 14th 1890. P. M. T. 1890

24th 104°, 25th 103°, 26th 106° no rain
27th 104° 28th 104°

Placenta swollen and hard.

E T 103. Placenta swollen before, some on back.

20th 103. Placenta swollen before.

19th 103. Placenta swollen before. E T 104

20th 103. Placenta swollen before. P M 104

21st 104. P M 104.4

22nd 104. Placenta swollen before very ill

23rd 103.6

24th 103.6

25th 104.6

26th 105.6 does not appear so well. Has slight prolapse

of placenta. 27th 104. 28th 104.





Betroffen, in + concern = touch
Umriß m. outline sketch
gelegentlich occasionally, incidentally
Notwendig, necessary, needful
Gegenstand m. subject
" " wichtig - important
widmen + devote, dedicate
Wahrnehmen + perceive, observe, take care of
Beschaffen + procure
Prüfen + try + examine
Versuch 4 experiment
Unterwerfen + submit to
Vorstellen + place before, represent
Fremdgehen - carrying away
Wagen - wagen
bedenken, while
Beträchtlich considerable
Haupt strength, force, power
Wichtigkeit, at least - a fact
Furcht - ^{worth} importance
Schritt in Richtung. in the same direction
Menge f. quantity - number
Raum, within, room
Kunst m. art, science
Trennung separation

Stricken to work speed of process
Miedererschlag in grandeur
Hidden most can come and can come
Writen to effect speed of course
Nachkommen to show prove
Forkundenen to see to be known
Aufweisen to show exhibit
Hainen to originalizing for that
permanently instructing. operation
Barock to continue
Ansehen to not before
Ligieren generally process
Zitieren to continually
intend to unfold developments
Verstehen to see
Chenel on the position
once a day thing. (Unter die sein to be many
Betrachtung to sound, to be
Gesamtschritt, to achieve
Kritik f. effect operation
Schritt zu gradual
Verständnis, to understand
Verständnis to improve
Empfindung to be perception

Anstrengung H. section

Bestimmung: positive certain precise

Betrag, amount sum total

Vergrößerung & vergrößern & increase

Angewandte, conformable, suitable, fit

Zusatz, addition contribution

Einführung & einführen, supply

Erfolg (m) consequence success

Unterstützen & unterstützen, back, to support

Verwendung & verwenden

Wannentückelung, product of heart

Korruption, lower degradable, deprecate

be-handeln & behandeln

Angewandte, conformable, suitable, fit

Festwahrnehmung, continual, firm & last

Erkenntnis & erkennen

Verhältnismäßig, proportionate

Feldanwendung, continual, lasting

Gesetz, to decompose

Gerade, straight, direct

Verhältniss, relation, proportion

Vergrößerung, quantity, space

Ergründung & erschließen, penetrate

Verfall, f. perish, form, shape

Betrag, amount sum total

Unterstützen & unterstützen

Steinernen chimney, flue - sepiolite
Betrachtung f. consideration, contemplation
Aufgabe f. problem
Ansehen to see, to look
Gefallen fall in love
Einfach simple, plain
Kumpff. trunk, barrel
Hemichale. brain-pan
Schädel, skull
Bauch m. belly, womb
Gehalt n. pondage, abj. phable wiffle
Leblich nobile perceptible
Annehmlich estivo, external
Gleichmässigkeit, uniformly equalness
Aufmerksamkeit to show forth, exhibit
Schenkel, the thigh
Gehö f. live - spitzge life too
Vollkommenheit perfect complete
In der That indeed, in fact
Ähnlich, like resembling
Eingewunde n. interlunary
Zwanzig bilateral
Nacken flache, back, part of
Financ ohne account
Jahre long tenace

Laute f. column pulch. post.
Herau h. call

Truppen f. separate
Page narrow close tight
Kamm. m. space. room

Unmittelbar direct immediate
Verbindung, connection union

Enthalten f. contain f. abstain from
Strang puff and rope string

Rückwärtig (m) special cold

Vorher, essential not for before substituting being

Querschnitt f. make not f. settle. double

Unterabtheilung subdivision

Bemerkenswert, remarkable

Thats f. actly

Graschfeld (m) Daftungen

Verwundung canal. Dignität canal

Reihe f. row small pile series

Nier f. kidney

Fach almost nearly

Schleudkopf, Pharynx. (Mount top)

Darstellung represent

Unterarm f. arm

Magen m. stomach

Anzeichen f. signify. indicate

Rechtstabig letter type

Leerschritt blank space

Gründen to discharge

Betrachtung consideration contemplation

Boden on ground with bottom

Dach on roof

Senkrecht perpendicular

Scheinbar seeming apparent

bedürfen not upon depend upon

Annahme f. exception

Verzweigen to ramify

Stängelst. slenderly - begins

Refass on vessel

Fest. at fixed form solid

Anordnung. ordering disposition

Pfeilelegen to inflict upon to conquer

zerlegen to take to pieces to dissect

fähe tough tenacious

Einwickeln to wrap up, involve

überzeugen to convince to convert

Reihen to arrange suffer submit consent of

Schicht f. layer bed, stratum

Schuppe f. scale scurf

abwerfen to cast off

facing - folious foliaceous

Verletzen + hurt + injure
Verursachen + cause
Empfindlich sensible (empfinden to feel)
Bemerkung, ^(the notice) notice, performance
Oberfläche f. surface superficial
Abkosen to woeen with + gum loose
Rand m. edge smooth border
Aufhören to cease + discontinue
Bereiten + prepare supply
Minder less small (I sah y under age)
Kleber gum. Klebung rivet, glutinous
Unmittelbar immediate direct
Zärtlichkeit delicacy
im Grunde in truth
berufen + summoned receive
Entsprechen answer to correspond
Hauptstück chief essential
Lein. glue. line
Gerben to tan
Schale f. shell, Scherbenstück + sherd
Knochen m. cartilage bone
Eindringen + enter by force + penetrate
vollständig complete
übrig moreover in things exposed
Schon + even before
nach + after

fast almost nearly
Uebung + acquire obtain. nach
Festigkeit firmness
Drucktheit densely compactness
wichtig important
Einschließen wrapped up
bessere v. + better, + and. (more m. practice)
Anfangen + seize. lay hold of
anschnellen + swell up
beschneiden + disengage. - vanish
Büchse the cover. roll
beistimmen + factum
Schulter of the shoulder
Eigenschaftlichkeit, peculiar.
Ausdehnung of extension
gleichlich at the same time & way, together
Abnehmen + decrease diminish
Ursache of cause reason
Einfluss + influence.
Key or determiner + thing character
Eigenschaft. + quality nature
Of note / of. by her
nicht as less
Ansehen + note response
Stimmen + important. also to the point
Stille + quiet. still - nothing but quiet

Rambling & circumlocution
Familiarity & accurate phraseology
Precision & eloquence
Yours faithfully
Wm. Whitman - spread difference

Emuloruf. arcuata (Linn.)

Aspergillus = spore head out-

Григорьевъ Г. Пав. Иванъ

Größten & kleinste

Foramen limbo

After the war to push out, eliminate
Doubtful other. otherwise.
The result. interest & home
Gaining little, small income low
Indian white school
Youngest son - keeping, covering
Doubtful success. chance
The result in any case, not
Lafayette to urge upon
Doubtful. but, success of
Doubtful of conduct
to improve efficiency, action
Doubtful, incessant
Gaining, belonging to, proper
Doubtful, voluntary, complete
Doubtful, local
Doubtful, want out, efficiency
Doubtful, providing for, maintaining
Doubtful, constant, steady
Doubtful, business, occupation
Doubtful, to write to the things
Doubtful, to add to, for
Doubtful, to mention
Doubtful, to receive, account
Doubtful, to the cause, for

Unhappy to distinguish, discern
ambition, ambition

Allegation to proposition, adjust
Dunsmuir, chairman

Wittaker, moderate, individual
Wittaker, individual, tell more

Reuben, to signing, to intimate
Dunsmuir, to make out, to settle

How, possibly

Leah, to know, something

Leah, to know, something

Wittaker, individual, possibly, to be

Wittaker, unable, possibly, to be

Wittaker, comfortable, suitable

Wittaker, maintenance, sufficient

Wittaker, to be, to be, to be

Wittaker, to be, to be, to be

Wittaker, to be, to be, to be

Wittaker, to be, to be, to be

Wittaker, to be, to be, to be

Wittaker, to be, to be, to be

Wittaker, to be, to be, to be

Wittaker, to be, to be, to be

Wittaker, to be, to be, to be

Wittaker, to be, to be, to be

Quark n. neck. nape
Garnschnecken & sandig. & appear
Kafferning, choking, suffocation
Lungen, & strang
Lungen, & strang
Lungen, & strang

Lungen, & strang
Künstlich, artificial
Lungen, & strang
Lungen, & strang
Lungen, & strang
Lungen, & strang

Quark, Lagen, Lagen, Lagen
Lungen, & strang
Lungen, & strang
Lungen, & strang

Lungen, & strang
Lungen, & strang
Lungen, & strang
Lungen, & strang

Lungen, & strang
Lungen, & strang
Lungen, & strang
Lungen, & strang

Lungen, & strang
Lungen, & strang
Lungen, & strang
Lungen, & strang

Mount Washington

Large stone mason

Washington town. interest

Mountain to discharge

Mounting. masonry.

Washington. masonry

Washington town. interest in the ground

Washington. masonry. (Lester)

Washington. masonry. (Lester)

Washington. masonry. (Lester)

Washington. masonry. (Lester)

Washington. masonry. (Lester)

Washington. masonry. (Lester)

Washington. masonry. (Lester)

Washington. masonry. (Lester)

Washington. masonry. (Lester)

Washington. masonry. (Lester)

Washington. masonry. (Lester)

Washington. masonry. (Lester)

Washington. masonry. (Lester)

Washington. masonry. (Lester)

Washington. masonry. (Lester)

Washington. masonry. (Lester)

Washington. masonry. (Lester)

Washington. masonry. (Lester)

Further found to be in debt
Myself, the manager, why, therefore, for the reason
the bankruptcy the necessary
arrangement to yield to grant
Hessmann & we were stronger
Businessman's account divided separately
Lecture to do to make perform
Wolff's behavior about
Forthcoming to transport, to transport, propagate
Disproportionate to the
The state of affairs, in fact
Katerjomp generally altogether
Indifference especially particularly
Organization of generation
Principles to maintain
Hessmann & suggested to multiply
Disproportionate to the
Organization, teaching with the
Disproportionate to the
to give to the
arrangement to make all these points
Foreigner to happen to have
Hessmann & we were
Hessmann & we were
Hessmann & we were

In the morning

Verfälscht! slownity

Looker's book,

Summary of the conference on drugs

Outline of the book

Stark's stuff must

VLEOTETON

Language of the present

Summary of the water exchange

Waterproof supply in the

Regulatory, not act of nature

Information of the water exchange

Water exchange, it is with the present

Information of the water exchange

Information of the water exchange

Information of the water exchange

ὁ πορτεὺς θαυμάζει τὴν σοφίαν αὐτοῦ
οἱ πορτεὶς θαυμάζουν τὴν κείνου σοφίαν
ὁ σκευὴς θαυμάζει τὴν ὀρεσίαν αὐτοῦ
οἱ σκευαὶ θαυμάζουν τὴν εὐρεπίαν αὐτοῦ
ὁ μαθητὴς ἀναγαγόντων θαυμάζει τὰς διδασκαλίας
οἱ μαθηταὶ τῶν σοφίστων θαυμάζουν τὴν
διδασκαλίαν τὴν σοφίστων μαθητῶν ἢ
ἀναγόντων τὴν τῶν μαθητῶν ἢ
οἱ μαθηταὶ τῶν σοφίστων τὴν εὐρεπίαν αὐτοῦ
οἱ μαθηταὶ πρῶτον κείνου ἦσαν



